



# Formulation

Name	<b>INDUSTRIAL FLOOR MASTIC REMOVER WITH STEPOSOL® SC</b>	
No.	966	
Description	Removes mastic from flexible hard flooring before, during, and after installation.	
Formulation	<u>INGREDIENTS:</u>	<u>% by Weight</u>
	STEPOSOL® SC	95.0
	BIO-SOFT® EC-690	5.0
	<b>Total</b>	<b>100.0</b>
Procedure	Combine ingredients in any order and mix until homogeneous.	
Physical Properties	Appearance at 25°C	Clear yellow liquid
	pH, 5% in ethanol	5.2
	Viscosity at 25°C, cps	<100
	Density, lbs/gal	8.02
	Solids, %	51.9
	Flash Point, °F (PMCC)	143
Storage/Stability	4 weeks at 4°C (39°F)	Stable
	4 weeks at 40°C (104°F)	Stable
	4 weeks at 50°C (122°F)	Stable
	3 months at 25°C	Stable
	Freeze/Thaw, 3 cycles	Pass
Instructions for Use	Apply to surface, allow to penetrate. Then remove with floor scrubber. Surfactant can be increased to improve rinsability. Package in PET or fluorinated HDPE containers. Paneling and solvent migration can occur in many bottle types.	
External Comment	BIO-SOFT® N1-7 may also be used in this formulation to replace BIO-SOFT® EC-690	
Registered Trademarks of Stepan Company	STEPOSOL® BIO-SOFT®	
For Additional Assistance	For applications or product handling assistance, call our Technical Service Department at 1-800-745-7837 (U.S.) or 011-334-76-505-100 (Europe). For ordering assistance, call our Account Service Department at 1-800-457-7673.  Nothing contained herein grants or extends a license, express or implied, in connection with patents, issued or pending, of the manufacturer or others. The information contained herein is based on the manufacturer's own study and the works of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) to the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information.	



Stepan Company  
Northfield, Illinois 60093  
Telephone (847) 446-7500

Revision Date: 04/04/2007    Origination Date: 02/10/2003 © 2007, Stepan Company. All rights reserved.